



UNDERGROUND & OVERHEAD CONSTRUCTION • HORIZONTAL DIRECTIONAL DRILLING • LINE MAINTENANCE

TOOLS & EQUIPMENT

CATALOG

MISCELLANEOUS TOOLS, PARTS & SUPPLIES



M-1 COMPLETE CORE RIGS

- 2-1/2" square column (mast) with black oxidized finish
- 6" wheels for easy mobility
- Dual switch/outlet control panel with amp meter
- Vacuum pump for quick mounting to flat surface without drilling an anchor hole (included with combination rig)
- 4 leveling screws on the base
- Up to 14" bit capacity with one spacer block
- Slide handle allows for drilling in tight areas
- Combination base is a quick change over from vacuum to anchor base
- Ceiling jack helps keep the rig in place as a backup for anchoring or vacuuming the base down (used with a brace piece - 2 x 4 or other material)



Part No.	Power	Motor RPM	Engine/Motor Make	Includes	Weight
4245115	20 amp	550/1,000/1,600	Core Bore CB733	Combo Stand, Motor, Vacuum Pump	108 lb
4245104	25 amp	385/530/975/1,340	Core Bore CB744	Combo Stand, Motor, Vacuum Pump	110 lb

CORE BORE CB215

- 3" Bit Capacity Hand-Held**
- 6" Bit Capacity Mounted**

- 1,800 Wat, 115 volt electric motor
- 3-speed gear box (1,000/1,600/4,450 RPM) with slip clutch
- Side handle for stable coring (removable)
- 1.250-7 threaded spindle with 5/8" - 11 adapter
- Vacuum hose connection for dry drilling
- LED load indicator in visible position
- Locking Gear Lever



Part No.	AMP	No load RPM	Loaded RPM	Includes	Weight
4244142	15 (115V)	1,000/1,600/4,450	-	Carrying Case	13
4244128	15 (115V)	1,400/2,300	-	Carrying Case	10.5

BITS MADE TO FIT YOUR UTILICOR SYSTEM



CORE BITS

Diamond Products® blades for cutting just about any material. Also core bits for drilling holes in walls, ceilings and floors in concrete and stone to include reinforced concrete. Wet or dry and bits up to 12" in diameter.

- The industry standard in coring
- Excellent footage and drilling speed
- Allows increased range of drilling depth with continuous tubing threaded bits and bits
- Additional barrel lengths can be added as you drill deeper similar to oil drilling
- Available in Orange (Standard) and Black (Premium)
- 8", 10" or 12" Diameters and 13" to 48" Lengths





HIGH-SPEED DIAMOND BLADES



Deluxe-Cut

Basic quality diamond and economical cutting value

H8D	
Size	Part No.
10" x .110 x 1"	22856
12" x .110 x 1"	70495
14" x .125 x 1"	70499
16" x .125 x 1"	20926
HD 5-PACKS	
12" x .110 x 1"	017560
14" x .125 x 1"	017580
H8D 10-Packs	
12" x .110 x 1"	17560
14" x .110 x 1"	17580



Star Blue

Good quality diamond and good cutting value

H8B	
Size	Part No.
10" x .110 x 1"	17710
12" x .110 x 1"	92398
14" x .125 x UNV	85261
16" x .125 x UNV	21424
18" X .125 X 1"	63599
H8D 5-PACKS	
12" x .125 x UNV	95054
14" x .125 x UNV	95055



Heavy-Duty Orange

Very high quality diamond and longer cutting life

H8H	
10" x .110 x 1"	11422
12" x .110 x UNV	53730
12" x .125 x UNV	53734
14" x .110 x UNV	53738
14" x .125 x UNV	53742
14" x .235 x 1"	11547
16" x .125 x UNV	90185
18" X .125 X 1"	11556
20" x .125 x 1"	11561



Heavy-Duty Cut-All

Multi-Purpose

H8D	
Size	Part No.
12" x .125 x UNV	84967
14" x .125 x UNV	84968
16" x .125 x UNV	84969
18" x .125 x 1"	86709
20" x .125 x 1"	84970
20 x .140 x 1"	86633
CUT-ALL MULTI-PURPOSE 5-PACKS	
12" x .125 x UNV	84989
14" x .125 x UNV	84990



Imperial Purple Cut-All

Multi-Purpose

H8ICA	
Size	Part No.
12" x .125 x UNV	15372
14" x .125 x UNV	15373
16" x .125 x UNV	15375





Upside Down Marking Paint is a fast drying marking paint designed to be sprayed in an inverted position. Uses a patented technology to cut the environmental impact in half, Water & Solvent Based (as compared to a standard solvent based marking paint). Produces vivid marks, does not clog, and is safe for grass. Meets APWA color standards and can be sprayed by hand or with the Z-605 marking gun or Z-606 marking wand.

UPSIDE DOWN PAINT



Part No.	Color	Size (oz)	Qty
BL-20-352	White	16 oz	1 ea, 12CS/60CS/Pallet
BL-20-379	Florescent Pink	16 oz	1 ea, 12CS/60CS/Pallet
BL-20-353	Blue	16 oz	1 ea, 12CS/60CS/Pallet
BL-20-358	Orange	16 oz	1 ea, 12CS/60CS/Pallet
BL-20-355	Green	16 oz	1 ea, 12CS/60CS/Pallet
BL-20-476	Yellow	16 oz	1 ea, 12CS/60CS/Pallet
BL-20-371	Safety Red	16 oz	1 ea, 12CS/60CS/Pallet



QUIK MARK™ WHEELER HAND HELD MARKING WAND

The Quik-Mark™ Wheeler Hand Held Marking Wand helps you apply inverted marking paints, quickly and efficiently, with a comfortable pistol grip that is engineered to help reduce finger fatigue and improve efficiency. Constructed of durable, rugged plastic and lightweight steel.

- Use for easy stenciling or line touch-ups
- Durable construction
- Hand held applicator wand
- 34" Long for convenient operation

Part No.
K07094000



12" PROFESSIONAL MARKING WHEEL

Suitable for measuring vertical, horizontal or curved surfaces, the large Crescent Lufkin® Professional SAE Measuring Wheel displays surface dimensions in meters for quick, accurate distance calculations. It features a 12-inch wheel with a rubber tire for superb traction on the uneven terrain of jobsites or long indoor expanses. The analog counter dial calibrated to the wheel counts to 10,000 meters

- Gear-based counter drive is more accurate and durable than the traditional belt drive
- Bolstered folding joint allows for compact storage and longer product life
- Glare-resistant counter display is easy to read

Part No.
PSMW48Nt





POLY WOVEN BAGS

Perma-Patch Poly Woven Bags are made of tough poly-woven material. These bags are made of our strongest material yet. They have survived extensive tear, truck, and drop testing. They are waterproof and have proven to stand up against the most brutal of weather conditions.

- Perma-Patch is an all-season, all-weather permanent asphalt patching material
- Bonds permanently to asphalt and concrete paving and steel bridge decks
- Can be used directly in potholes filled with water
- Application temperatures range from -10° F to 120° F
- No Mixing
- Cures through compaction
- Drive on immediately
- Faster cure time under greater volumes of traffic
- Minimum 2-year shelf life

Part No.	Dimensions	Mix	Packaging	Weight
PP-40-PLC	20" x 16" x 5"	Regular Mix	Bag	40 lb
PP-50-PLC	20" x 16" x 5"	Regular Mix	Bag	50 lb
PP-60-C	20" x 16" x 5"	Regular Mix	Paper Bag	60 lb
PP-60-F	20" x 16" x 5"	Fine Mix	Paper Bag	60 lb



1 TON BULK BAGS

Perma-Patch Bulk Bags are manufactured with durable, long-lasting polypropylene and feature 4 reinforced lifting loops on each corner allowing the bag to be moved with a forklift. They are specially designed for easy pouring into hotboxes, truck beds, or trailers. Better yet, no special tools, preparation, or curing time is required. Just open, pour, and drive.



- Perma-Patch is an all-season, all-weather permanent asphalt patching material
- Bonds permanently to asphalt and concrete paving and steel bridge decks
- Can be used directly in potholes filled with water
- Application temperatures range from -10° F to 120° F
- No Mixing
- Cures through compaction
- Drive on immediately
- Faster cure time under greater volumes of traffic
- Minimum 2-year shelf life

Part No.	Dimensions	Mix	Packaging	Weight
PP-2000-BC	35" x 35" x 40"	Regular Mix	Sack	2,000 lb
PP-2000-BF	35" x 35" x 40"	Fine Mix	Sack	2,000 lb



FILTER DEWATERING/SILT BAGS

10oz geotextile bag used to filter discharge water during construction projects. Manufactured from specially designed non-woven geotextile, these bags act to filter sediments from the pumped discharge water. Flow rate = 55 gpm/ft². Inlet will accept 6" discharge hose.



Typical Applications:

- Municipal wastewater
- Industrial pond pumping and dredging
- Agricultural waste pumping and dredging
- Waterway remediation and dredging
- Power plant cooling tower sludge
- Construction and plant turnaround projects

Grab Tensile Strength	ASTM D-4632	270 lb
Grab Elongation	ASTM D-4632	50%
Trapezoid Tear	ASTM D-4533	100 lb
Puncture	ASTM D-4833	150 lb
Mullen Burst	ASTM D-3786	450 psi
Permitivity	ASTM D-4491	.7 sec
Permeability	ASTM D-4491	.25 cm/sec
A.O.S.	ASTM D-4751	100 US Sieve
Water Flow	ASTM D-4491	55 gpm/ft ²
U.V. Resistance (500 hr)	ASTM D-4355	70%
Weight (oz/sq yd)	ASTM D-5261	10 oz

Part No.	Size
15925	5' x 6'
	7.5' x 15'
	15' x 15'

GAS CANS

. Our metal safety cans are 100 percent American-made and provide a safe and convenient way to carry, pour and store flammable liquid or fuel. All Eagle Type I safety cans are accepted under CARB, meet OSHA and NFPA Code 30 requirements, are UL and ULC-listed, and FM-approved for safe storage and handling of flammable liquids.



STEEL SAFETY CAN For Flammables

Part No.	Size
7110110	1 Gal, Type 1 (Funnel)
7210120	1 Gal, Type 2 (5/8" Metal Hose)
7125110	2.5 Gal, Type 1 (Funnel)
7225130	2.5 Gal, Type 2 (1" Metal Hose)
7150110	5 Gal, Type 1 (Funnel)
7250130	5 Gal, Type 2 (1" Metal Hose)



STEEL SAFETY CAN For Diesel

Part No.	Size
7110210	1 Gal, Type 1 (Funnel)
7210220	1 Gal, Type 2 (5/8" Metal Hose)
7125200	2.5 Gal, Type 1 (Funnel)
7225230	2.5 Gal, Type 2 (1" Metal Hose)
7150210	5 Gal, Type 1 (Funnel)
7250230	5 Gal, Type 2 (1" Metal Hose)



A series of horizontal lines spanning the width of the page, intended for taking notes.



Stocking Locations

**1300 National Ave Unit B
Addison, IL 60101**

**1440 Kings HWY
Haddon Heights, NJ 08035**

888-206-3044

sales@builditright.us

www.builditright.us